


ASPHALT BLADES

The RDS Asphalt Core Combats Abrasive Undercutting

Norton Pro Diamond Asphalt Blades are available in all blade quality ranges from “Professional” to “Super Performance.” These blades are especially engineered for maximum performance when cutting any asphalt aggregate.

Radius Drop Segments protect each blade from the damaging effects of undercutting and are available at no extra charge.




CORE BENEFITS

- Superior new blade design incorporates features that reduce the affect of core undercutting in highly abrasive asphalt applications.
- Prevents premature loss of diamond segment, therefore utilizing full life through segment height.
- Eliminates need for additional undercut protection.
- Higher production realized through faster cutting without loss of blade life.

CORE FEATURES

- Wear resistant steel core - hardened core significantly reduces wear affect compared to use of conventional steel.
- Radius Drop Segments (RDS) - slanted drop segments protect the blade periphery from undercutting but also act as a cutting segment. This feature allows the blade to cut faster without the loss of blade life.

The RDS Asphalt Core – Minimum Undercutting for Maximum Segment Life



DIAMOND BLADES FOR ASPHALT

Asphalt Blade List Prices (determined by diamond depth)


SIZE	A5 LIST .300" DIAMOND DEPTH	A5 INSERT LIST .300" DIAMOND DEPTH	A6 LIST .350" DIAMOND DEPTH	A6 INSERT LIST .350" DIAMOND DEPTH	A7 LIST .400" DIAMOND DEPTH	A7 INSERT LIST .400" DIAMOND DEPTH	A8 LIST .450" DIAMOND DEPTH	A8 INSERT LIST .450" DIAMOND DEPTH
12 X 125	\$640	\$710	\$680	\$750	\$720	\$795	\$760	\$840
12 X 145	735	810	780	855	835	920	900	990
12 X 190	895	980	945	1040	1025	1125	1100	1220
12 X 220	965	1065	1030	1130	1275	1400	1200	1320
12 X 250	1065	1170	1140	1255	1450	1595	1365	1500
14 X 125	785	860	850	940	925	1015	1000	1100
14 X 145	895	980	970	1065	1050	1150	1130	1245
14 X 155	965	1065	1050	1150	1135	1250	1175	1290
14 X 175	1060	1170	1145	1260	1245	1370	1340	1475
14 X 190	1075	1185	1165	1280	1265	1385	1365	1505
14 X 220	1240	1365	1350	1480	1485	1635	1605	1765
14 X 250	1365	1495	1490	1635	1610	1780	1745	1920
14 X 375	2320	2575	2540	2795	2780	3060	3040	3345
16 X 125	910	1005	990	1090	1065	1170	1150	1265
16 X 145	1015	1110	1100	1210	1190	1305	1280	1410
16 X 155	1100	1210	1275	1400	1375	1515	1485	1635
16 X 165	1175	1290	1300	1430	1405	1550	1515	1670
16 X 175	1210	1320	1340	1470	1450	1595	1560	1725
16 X 190	1240	1365	1380	1515	1485	1635	1605	1770
16 X 220	1355	1485	1495	1645	1615	1780	1745	1925
16 X 250	1530	1680	1690	1860	1870	2060	2070	2280
18 X 125	1015	1110	1120	1235	1210	1330	1305	1440
18 X 145	1135	1250	1255	1380	1360	1490	1465	1610
18 X 155	1255	1375	1390	1530	1500	1650	1620	1780
18 X 165	1305	1435	1500	1655	1620	1790	1755	1930
18 X 175	1350	1475	1535	1690	1655	1825	1800	1975
18 X 190	1375	1515	1550	1695	1670	1840	1810	1985
18 X 250	1750	1920	1885	2075	2040	2250	2520	2770
20 X 125	1110	1220	1235	1355	1330	1465	1440	1585
20 X 145	1230	2595	1370	1505	1480	1625	1595	1755
20 X 155	1400	1540	1570	1735	1695	1870	1835	2020
20 X 175	1465	1610	1640	1810	1780	1960	1935	2130
20 X 190	1545	1690	1735	1900	1870	2055	2020	2220
24 X 125	1435	1585	1615	1780	1750	1925	1890	2080
24 X 145	1560	1715	1755	1930	1900	2085	2045	2250
24 X 155	1635	1800	1840	2020	1985	2185	2140	2355
24 X 165	1715	1885	1920	2115	2075	2285	2240	2460
24 X 175	1780	1960	2000	2200	2165	2380	2335	2565
24 X 190	1860	2050	2100	2305	2270	2490	2450	2690
24 X 220	2130	2345	2410	2650	2600	2865	2810	3095
26 X 155	1800	1985	2030	2225	2190	2410	2360	2610
26 X 165	1875	2070	2140	2350	2310	2540	2490	2745
26 X 175	1965	2160	2205	2430	2385	2625	2570	2840
26 X 190	2085	2295	2345	2585	2535	2790	2745	3015
26 X 220	2370	2595	2690	2965	2905	3190	3135	3450
30 X 165	2045	2250	2320	2550	2505	2755	2700	4055
30 X 175	2130	2345	2405	2650	2600	2865	2805	3090
30 X 190	2220	2450	2515	2760	2710	2990	2930	3225
30 X 220	2610	2885	3010	3300	3245	3575	3505	3850
32 X 190	2500	2760	2680	2955	2900	3190	3130	3445
36 X 165	2580	2840	2840	3120	3060	3370	3300	3630
36 X 175	2685	2960	2950	3250	3190	3510	3445	3790
36 X 190	2760	3035	3020	3325	3265	3590	3530	3880
36 X 220	3310	3640	3635	4000	3935	4325	4250	4670

RDS UNDERCUT PROTECTION AVAILABLE AT NO CHARGE.

Asphalt Blade Recommended Specifications


APPLICATION	<35 HP	35 HP	35 - 65 HP	65+ HP
HARD	BLACK 2A	BLUE 2A	BLUE 20A	SILVER 20A
MEDIUM	BLACK 3A BLACK 4A	BLUE 3A BLUE 5A	BLUE 30A BLUE 40A	SILVER 30A SILVER 40A
SOFT ABRASIVE	BLACK 5A	BLUE 5A	BLUE 50A	SILVER 50A

Radius Drop Segment




RDS = RADIUS DROP SEGMENT

Diamond Inserts



H = INSERTS ON EVERY OTHER LANDING



S = INSERTS ON EVERY FOURTH LANDING